

V8 Quad Cam

PART NO.		ADV DUR	0.050" DUR.	VALVE LIFT	POWER RANGE	COMMENTS
270XR8	RH Inlet	250	200	0.435"	1000	Mild performance profile suit XR8
271XR8	LH Inlet	250	200	0.435"	4200	
272XR8	RH Exhaust	255	200	0.435"	1200	Mild performance profile suit XR8
273XR8	LH Exhaust	255	200	0.435"	4200	
270GTP	RH Inlet	260	200	0.508"	1200	Medium performance cam suit GT & XR8 2008 on
271GTP	LH Inlet	260	200	0.508"	4500	
272GTP	RH Exhaust	248	198	0.466"	1200	Medium performance cam suit GT & XR8 2008 on
273GTP	LH Exhaust	248	198	0.466"	4500	
270GTPX	RH Inlet	263	214	0.525"	1400	High performance cam suit GT & XR8 2008 on
271GTPX	LH Inlet	263	214	0.525"	4600	
272GTPX	RH Exhaust	260	214	0.475"	1400	High performance cam suit GT & XR8 2008 on
273GTPX	LH Exhaust	260	214	0.475"	4600	
270GTHO	RH Inlet	280	232	0.540"	1800	Street / Race cam suit GT & XR8 2008 on
271GTHO	LH Inlet	280	232	0.540"	6000	
272GTHO	RH Exhaust	279	228	0.504"	1800	Street / Race cam suit GT & XR8 2008 on
273GTHO	LH Exhaust	279	228	0.504"	6000	

V8 5.4 3 VALVE Suit late engine with 35.15mm front bearing journal.

PART NO.		ADV DUR	0.050" DUR.	VALVE LIFT	POWER RANGE	COMMENTS
6711150	LH Cam	248	198	0.444"	1000	Mild performance profile
6721150	RH Cam	265	215	0.444"	4200	

Ford BA XR8 V8 to May-08 QUAD CAM Valve Springs

PART NO.	INST. HEIGHT	INST. PRESSURE	PRESSURE @.5 LIFT	MAX LIFT	SOLID HEIGHT	SPRING RETAINER	VALVE LOCKS
1 8 0 8 - 3 2	1.49"	85	185	0.55"	0.89"	Stock	Std
VTKBAXR8-32	1.59"	95	200	0.60"	0.89"	10711	Std

Ford BA GT & XR8 V8 from May-08 QUAD CAM Valve Springs

PART NO.	INST. HEIGHT	INST. PRESSURE	PRESSURE @.5 LIFT	MAX LIFT	SOLID HEIGHT	SPRING RETAINER	VALVE LOCKS
1 8 0 9 - 3 2	1.59"	95	190	0.60"	0.89"	Stock GT	Std

Performance Valve Train Components

PART NO	DESCRIPTION	PART NO	DESCRIPTION
1808-32	Valve spring set BA XR8	1809-32	Valve spring set BA GT Quad Cam V8

NOTE. Check for rocker to retainer clearance when fitting offset retainers.
Maximum lift for XR8 heads is 0.480".