


## VALVE SPRING RETAINERS

Part Number	Material	Diam A	Diam B	Diam C	Diam D	Valve Stem	Spring Height	Locks
<b>HIGH PERFORMANCE &amp; RACE VALVE SPRING RETAINERS</b>								
<b>10703</b>	Chromoly	0.920"	0.630"	0.475"		6mm	Standard	Standard
<b>10704</b>	Chromoly	0.950"	0.620"			7mm	Standard	Standard
<b>10705</b>	Chromoly	0.950"	0.620"			7mm	Standard	Standard
<b>10706</b>	Chromoly	1.033"	0.650"			8mm	+0.50"	7 degree
<b>10707</b>	Chromoly	1.048"	0.630"			8mm	Standard	7 degree
<b>10708</b>	Chromoly	1.205"	0.915"	0.634"		8mm	Standard	7 degree
<b>10709</b>	Chromoly	1.378"	1.063"	0.709"		8mm	Standard	7 degree
<b>10710</b>	Chromoly	0.925"	0.627"	0.469"		6mm	+0.100"	Standard
<b>10714</b>	Chromoly	1.043"	0.742"	0.525"		6mm	Standard	Standard
<b>10715</b>	Chromoly	1.150"	0.841"	0.650"		7mm	Standard	Standard
<b>10716</b>	Chromoly	1.063"	0.772"	0.487"		7mm	Standard	Standard
<b>11700</b>	Chromoly	1.398"	1.036"	0.730"		.343"	Standard	7 degree
<b>11707</b>	Chromoly	1.250"	0.850"	0.670"		.343"	Standard	7 degree
<b>11708</b>	Chromoly	1.017"	0.620"			.343"	Standard	7 degree
<b>11709</b>	Chromoly	1.015"	0.655"			.343"	Standard	7 degree
<b>11710</b>	Chromoly	1.400"	1.024"	0.710"		.343"	+0.100"	7 degree
<b>11717</b>	Chromoly	1.245"	0.870"	0.670"		.343"	+0.100"	7 degree
<b>11740</b>	Chromoly	1.375"	1.045"	0.675"		7mm	Standard	7 degree
<b>11750</b>	Chromoly	1.375"	1.020"	0.675"		7mm	Standard	7 degree
<b>12700</b>	Chromoly	1.395"	1.030"	0.735"		.343"-.375"	Standard	7 degree
<b>12710</b>	Chromoly	1.395"	1.028"	0.730"		.343"-.375"	+0.100"	7 degree
<b>13101</b>	Chromoly	1.377"	1.072"	0.715"		.312"-.375"	+0.100"	10 degree
<b>13102</b>	Chromoly	1.488"	1.113"	0.719"		.312"-.375"	+0.100"	10 degree
<b>TR405</b>	Titanium	1.448"	1.090"	0.781"		.312"-.375"	+0.100"	10 degree
<b>TR435</b>	Titanium	1.300"	0.940"	.680"		8mm	Standard	7 Degree
<b>TR535</b>	Titanium	1.500"	1.180"	0.830"	0.640"	.312"-.375"	+0.100"	10 degree
<b>TR565</b>	Titanium	1.480"	1.180"	0.865"	0.635"	.312"-.375"	+0.100"	10 degree



## VALVE LOCKS (COLLETS)

Part Number	Type	Description	Sales Unit	Valve Stem	Spring Height	Taper
<b>VALVE LOCKS / COLLETS</b>						
<b>4133-12</b> <b>4133-16</b>	Machined	Single Groove	Single, 6/8 Cyl Set	.343"	Standard	7 degree
<b>4134-12</b> <b>4134-16</b>	Machined	Single Groove	Single, 6/8 Cyl Set	.343"	+.050"	7 degree
<b>4135-12</b> <b>4135-16</b>	Machined	Single Groove	Single, 6/8 Cyl Set	.343"	-.050"	7 degree
<b>10701-12</b> <b>10701-16</b>	Hardened	Single Radius Groove	Single, 6/8 Cyl Set	8mm	Standard	7 degree
<b>11101-12</b> <b>11101-16</b>	Machined	Single groove	Single, 6/8 Cyl Set	.343"	Standard	10 degree
<b>11102-12</b> <b>11102-16</b>	Machined	Single Groove	Per Pair, 6/8 Cyl Set	.343"	-.050"	10 degree
<b>11701-16</b>	Hardened	Single groove	8 Cyl Set	.343"	Standard	7 degree
<b>11702-16</b>	Hardened	Multi Groove	8 Cyl Set	.343"	Standard	7 degree
<b>11703-12</b>	Hardened	Single Groove	6 Cyl Set	.343"	Standard	7 degree
<b>11704-12</b>	Hardened	Multi Groove	6 Cyl Set	.343"	Standard	7 degree
<b>12102-12</b>	Hardened	Chrysler Hemi 6 cylinder Set	6 Cyl Set	.375"	Standard	7 degree
<b>12701</b>	Hardened	Single Groove Chev, Ford B/B Chrysler	Per Pair	.375"	Standard	7 degree
<b>12704</b>	Hardened	Chrysler exhaust Multi Groove	Per Pair	.375"	Standard	7 degree
<b>12708-16</b>	Hardened	Single Groove, Chev, Ford, Chrysler	8 Cyl Set	.375"	Standard	7 degree
<b>12108-12</b> <b>12108-16</b>	Hardened	In 2 Groove, Ex 4 Groove. Chrysler	6/8 Cyl Set	.375"	Standard	7 degree

